

HOSE REELS

SERIE 8400

ART. 8427

Hose length (m)
20


Hose internal diameter (mm)
12,5 mm (1/2")

Tube type
KPU

Maximum pressure
20 bar




Compliance with Directive 2014/34/UE
 II 2GD C IIB T6/T85°C X
 Type Examination Certificate Number IMQ 15 ATEX 002 X
 Compliance with EN 13463-1:2009; EN 13463-5:2011



TECHNICAL DATA

Article	Hose internal diameter (mm)	Hose length (m)	Maximum pressure	End fitting	Temperature	Incoming connection	Tube type	Tube colour	Fluid type
8427	12,5 mm (1/2")	20	20 bar	1/2" M	-15°C/+50°C	1/2" F	KPU	BLUE	Air - Water

OVERALL DIMENSIONS



Technical features

- Steel epoxy powder painted bracket
- Standard coupling
- Brass outlet fitting
- Steel screws

OPTIONAL ACCESSORIES AND SPARE PARTS

ART. 8400/SL

voltage

Inlet tube 60 cm - 20 bar - 1/2" SAE 100 R6 - 1/2" M and 1/2" F fittings swivel

ART. 8400/SK

Spezzone tubo ingresso

Spezzone tubo ingresso 60 cm - 20 bar - 1/2" KPU - raccordi 1/2" M and 1/2" F girevole

ART. 8400/SH

Spezzone tubo ingresso

Spezzone tubo ingresso 60 cm - 200 bar - 3/8" 1SC nero - raccordi 3/8" M and 3/8" F girevole

OPTIONAL
ACCESSORIES AND
SPARE PARTS

ART. 8400/CY

Coil cover
Yellow coil cover



ART. 8400/CB

Coperchio bobina
Coperchio bobina nero



ART. 8400/SW

Staffa orientabile
Staffa orientabile



ART. 8400/SWI

Staffa orientabile
Staffa orientabile in acciaio INOX

