

### SAFETY DATA SHEET

# EasyClean Glenta Mug & Skimmel

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

### **▼**Trade name

EasyClean Glenta Mug & Skimmel

Unique formula identifier (UFI)

MTT8-9G48-DWRE-34U9

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

PC8 Disinfection, Cleaning product

Restricted to professional users.

#### Product code (A.I.S.E.)

AISE-P314 / Surface disinfectant. Manual process.

AISE-P315 / Surface disinfactant. Spray and rinse manual process.

### Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 8	Biocidal Products (e.g. Disinfectants, pest control)
PC 35	Washing and Cleaning Products (including solvent based products)
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems

### Uses advised against

None known.

### 1.3. Details of the supplier of the safety data sheet

### Company and address

### Stadsing A/S

Østre Fælledvej 13

DK-9400 Nørresundby

Denmark

Tel.: +45 7015 3400

### E-mail

info@stadsing.dk

### Revision

24/04/2025

**SDS Version** 

3.0

# Date of previous version

07/04/2025 (2.0)

### 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

# SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

### 2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation.

Eye Dam. 1; H318, Causes serious eye damage.



Aquatic Acute 1; H400, Very toxic to aquatic life.

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

# Hazard pictogram(s)



### Signal word

Danger

### Hazard statement(s)

Causes skin irritation. (H315)

Causes serious eye damage. (H318)

Very toxic to aquatic life with long lasting effects. (H410)

### Precautionary statement(s)

General

\_

#### Prevention

Wash hands and exposed skin thoroughly after handling. (P264)

Avoid release to the environment. (P273)

Wear face protection/protective gloves/protective clothing. (P280)

### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

#### Storage

-

### Disposal

Dispose of contents/container in accordance with local regulation (P501)

### Hazardous substances

sodium hypochlorite

# Additional labelling

Active substance(s):

sodium hypochlorite (4.18 g/100g)

### UFI: MTT8-9G48-DWRE-34U9

# Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

- · Chlorine-based bleaching Agents
- · Non-ionic surfactants
- Perfumes

# 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium hypochlorite	CAS No.: 7681-52-9 EC No.: 231-668-3 REACH: 01-2119488154-34-xxxx Index No.: 017-011-00-1	3-5%	EUH031 Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aguatic Chronic 2, H411	



p-mentha-1,4(8)-dien CAS No.: 586-62-9 <0.05% Asp. Tox. 1, H304

EC No.: Skin Sens. 1B, H317

REACH: Aquatic Acute 1, H400 (M=1)

Index No.: Aquatic Chronic 1, H410 (M=1)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

\_

#### SECTION 4: First aid measures

# 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

### Inhalation

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

#### Skin contact

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

### Eye contact

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

#### Ingestion

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

#### **Burns**

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

# Information to medics

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid

Bring this safety data sheet or the label from this product.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Not applicable.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

. Halogenated compounds

Some metal oxides

Oxygen, hypochlorous acid, chlorine.

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.



#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

# Recommended storage material

Keep only in original packaging.

# Storage conditions

Protect from sunlight.

Dry, cool and well ventilated

### Incompatible materials

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen.

Acids

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

sodium hydroxide

Short term exposure limit (15 minutes) (mg/m³): 2

Annotations:

L = The limit is a ceiling value that at no time may be exceeded.

Statutory order 1619 on exposure limits for substances and mixtures (19/12/2024)

# DNEL

### sodium hypochlorite

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1.55 mg/m³
Long term – Local effects - Workers	Inhalation	1,4 mg/m³
Long term – Local effects - Workers	Inhalation	1.55 mg/m³
Long term – Systemic effects - General population	Inhalation	1.55 mg/m³



Long term – Local effects - Workers	Inhalation	1 mg/m³
Long term – Local effects - General population	Inhalation	1 mg/m³
Duration:	Route of exposure:	DNEL:
sodium hydroxide		
Long term – Systemic effects - General population	Oral	260 μg/kg bw/day
Short term – Systemic effects - Workers	Inhalation	3.1 mg/m³
Short term – Systemic effects - General population	Inhalation	3.1 mg/m³
Short term – Local effects - Workers	Inhalation	3.1 mg/m³
Short term – Local effects - Workers	Inhalation	3 mg/m³
Short term – Local effects - General population	Inhalation	3.1 mg/m³
Long term – Systemic effects - Workers	Inhalation	1.55 mg/m³

#### **PNEC**

sodium hypochlorite

30didili liypociliolite		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,0126 mg/l
Freshwater		210 ng/L
Freshwater sediment		0,047 mg/l
Intermittent release (freshwater)		260 ng/L
Marine water		0,0126 mg/l
Marine water		42 ng/L
Marine water sediment		0,047 mg/l
Predators		11.1 mg/kg
Sewage treatment plant		4.69 mg/L

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

# Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

### Hygiene measures

Take off contaminated clothing and wash it before reuse.

# Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

# Individual protection measures, such as personal protective equipment

### Generally

Use only CE marked protective equipment.

# **Respiratory Equipment**

Туре	Class	Colour	Standards
No special when used as intended.			

### Skin protection



Work situation	Recommended	Type/Category	Standards	
When there is risk of splash- / intermittent exposure	Dedicated work clothing should be worn.	-	-	R

### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,38	> 240	EN374-2, EN16523-1, EN388	
Neoprene (Neoprene)	0,6	> 480	EN374-2, EN16523-1, EN388	

# Eye protection Type

Туре	Standards
Face shield alternatively safety glasses with side shields.	EN166



# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Clear

Odour / Odour threshold

Characteristic

рΗ

11,1

Density (g/cm³)

1.08

Kinematic viscosity

No data available.

Particle characteristics

Does not apply to liquids.

# Phase changes

Melting point/Freezing point (°C)

No data available.

Softening point/range (°C)

Does not apply to liquids.

Boiling point (°C)

No data available.

Vapour pressure

No data available.

Relative vapour density

No data available.

Decomposition temperature (°C)

No data available.

Data on fire and explosion hazards

Flash point (°C)

No data available.

Flammability (°C)

No data available.

Auto-ignition temperature (°C)

No data available.



Lower and upper explosion limit (% v/v)

No data available.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient (LogKow)

No data available.

Solubility in fat (q/L)

No data available.

#### 9.2. Other information

Other physical and chemical parameters

No data available.

Oxidizing properties

No data available.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Contact with acids liberates toxic gas.

Reacts violently with alkali metals, metal powders, oxidizing materials and amines.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

### 10.4. Conditions to avoid

Protect from sunlight. Do no expose to temperatures exceeding 20 °C/68 °F.

### 10.5. Incompatible materials

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen.

Acids

### 10.6. Hazardous decomposition products

Oxygen, hypochlorous acid, chlorine.

### **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### ▼ Acute toxicity

Product/substance sodium hypochlorite

Species: Rat
Route of exposure: Oral
Test: LD50
Result: 1100 mg/kg ·

Product/substance sodium hypochlorite

Species: Rat
Route of exposure: Dermal
Test: LD50

Result:  $> 2000 \text{ mg/kg} \cdot$ 

Product/substance sodium hypochlorite

Species: Rat
Route of exposure: Inhalation
Test: LC50

Result:  $> 10500 \text{ mg/kg} \cdot$ 

Product/substance sodium hydroxide

Species: Rabbit
Route of exposure: Dermal
Test: LD50

Result: 1,350 mg/kg ·

Product/substance sodium hydroxide



Species: Rat Route of exposure: Oral Test: LD50

Result: 140-340 mg/kg ·

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye damage.

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

### Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

### Other information

None known.

# SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance sodium hypochlorite

Species: Fish
Duration: 96 hours
Test: LC50
Result: 0,06 mg/l·

Product/substance sodium hypochlorite

Species: Crustacean
Duration: 48 hours
Test: EC50
Result: 0,141 mg/l·

Product/substance sodium hypochlorite

Species: Algae

Duration: No data available.

Test: NOEC Result: 0,0021 mg/l·

Product/substance sodium hydroxide

Species: Fish
Duration: 96 hours
Test: LC50
Result: 35 - 189 mg/l ·

Product/substance sodium hydroxide



Species: Crustacean
Duration: 48 hours
Test: EC50
Result: 40,4 mg/l·

Harmful to aquatic life with long lasting effects.

# 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

### 12.3. Bioaccumulative potential

Product/substance sodium hypochlorite

LogKow: -3,4200

Conclusion: No potential for bioaccumulation

Product/substance sodium hydroxide

BCF: 0

LogKow: -3,8800

Conclusion: No potential for bioaccumulation

#### 12.4. Mobility in soil

sodium hypochlorite

LogKoc = 0.8679, High mobility potential.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

# 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (\*)

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

### EWC code

Waste group O: Reactive waste

16 09 04\* Oxidising substances, not otherwise specified

# Specific labelling

Not applicable.

# Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### **SECTION 14: Transport information**

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio
					n:
ADR	UN1791 HYPOCHLORITE SOLUTION	Transport hazard class: 8 Label: 8 Classification code: C9	III	Yes	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional



	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
					information
IMDG	UN1791 HYPOCHLORITE SOLUTION	Transport hazard class: 8 Label: 8 Classification code: C9	III	Yes	Limited quantities: 5 L EmS: F-A S-B See below for additional information .
IATA	UN1791 HYPOCHLORITE SOLUTION	Transport hazard class: 8 Label: 8 Classification code: C9	III	Yes	See below for additional information

<sup>\*</sup> Packing group

#### \*\* Environmental hazards

### Additional information

This product is within scope of the regulations of transport of dangerous goods.

Although this product is environmentally hazardous, the environmentally hazardous substance mark has been omitted as the product is supplied in packaging with a maximum quantity of 5 L / 5 kg.

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

# 14.6. Special precautions for user

Not applicable.

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

### Demands for specific education

No specific requirements.

### SEVESO - Categories / dangerous substances

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes Biocidal Products Regulations

Product type: PT2 - Disinfectants and algaecides not intended for direct application to humans or animals Restrictions on use

Directions for use and dose rate

-

Additional information



Labelling of contents according to Detergents Regulation (EC) No 648/2004

- < 50<sub>6</sub>
- · Chlorine-based bleaching Agents
- · Non-ionic surfactants
- · Perfumes

### Additional information

Not applicable.

#### Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Executive Order no. 372 of 25 April 2016 on control of the risk of major accidents with dangerous substances.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

No

#### SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

EUH031, Contact with acids liberates toxic gas.

H290, May be corrosive to metals.

H304, May be fatal if swallowed and enters airways.

H314, Causes severe skin burns and eye damage.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PC 8 = Biocidal Products (e.g. Disinfectants, pest control)

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient



MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

### Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

# The safety data sheet is validated by

JEH

### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en