

#### SAFETY DATA SHEET

# Alkalisk Skumrengøringsmiddel Off

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

Alkalisk Skumrengøringsmiddel Off

Product no.

Sv.Licens 5070 0002

Unique formula identifier (UFI)

N1RP-00N5-H00A-E027

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

PC35 Washing and cleaning products

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

### Stadsing A/S

Østre Fælledvej 13

DK-9400 Nørresundby

Denmark

Tel.: +45 7015 3400

E-mai

info@stadsing.dk

Revision

11/23/2022

**SDS Version** 

1.0

### 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

### 2.2. Label elements

### Hazard pictogram(s)



## Signal word

Warning

## Hazard statement(s)

Causes serious eye irritation. (H319)

Safety statement(s)

General

\_ **-**

Prevention
Wear eye protection/protective gloves/protective clothing. (P280)

#### Response

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

\_



#### Disposal

#### Hazardous substances

None known.

#### Additional labelling

UFI: N1RP-00N5-H00A-E027

#### 2.3. Other hazards

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Cocoamphoacetat	CAS No.: 68608-65-1 EC No.: REACH: 01-2119487973-19 Index No.:	3-5%	Eye Irrit. 2, H319 (SCL: 16.00 %)	
Poly(oxy-1,2-ethanediyl), CAS No.: 69011-36-5 alpha-tridecyl-omega- hydroxy-, branched REACH: 01-2119976362-32-0001 Index No.:		1-3% Acute Tox. 4, H302 (ATE: 501.00 mg Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.05 %)		[19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials Labelling of contents according to Detergents Regulation (EC) No 648/2004

- < 5%
- · Amphoteric surfactants
- · Non-ionic surfactants

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

### **Burns**

Not applicable.

## 4.2. Most important symptoms and effects, both acute and delayed



Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Not applicable.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

## 6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Recommended storage material

Always store in containers of the same material as the original container.

#### Storage temperature

No specific requirements

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

sodium hydroxide

Long term exposure limit (8 hours) (mg/m³): 2

Short term exposure limit (15 minutes) (mg/m³): 2

Annotations:

L = The limit is a ceiling value that at no time may be exceeded.

Statutory order 1054 on exposure limits for substances and mixtures (28/06/2022)

#### **DNEL**

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	93.8 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	263 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	6.53 mg/m³
Long term – Systemic effects - Workers	Inhalation	37 mg/m³
Long term – Systemic effects - General population	Oral	2.5 mg/kg bw/day

#### **PNEC**

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Route of exposure	<b>Duration of Exposure</b>	PNEC
Activated Sludge Plant	Single	>10.000 mg/l
Freshwater		4.36 μg/L
Freshwater sediment		119.4 μg/kg
Intermittent release (freshwater)		5.44 μg/L
Intermittent release (marine water)		544 ng/L
Marine water		436 ng/L
Marine water sediment		11.94 μg/kg
Sewage treatment plant		4.35 mg/L
Soil		21.3 μg/kg

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

## Exposure scenarios

There are no exposure scenarios implemented for this product.

### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

## Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

## Measures to avoid environmental exposure

No specific requirements.

### 8.3. Individual protection measures, such as personal protective equipment

#### Generally

Use only CE marked protective equipment.

## **Respiratory Equipment**

Туре	Class	Colour	Standards
No special when used as intended.			

#### Skin protection

skin protection			
Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

## Hand protection



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.38	>120	EN374-2, EN374-3, EN388	

### Eye protection

**Type**Standards

Wear safety glasses
with side shields.



#### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Clear

Odour / Odour threshold

None

рΗ

11,4

Density (g/cm³)

1.04

Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

## Phase changes

### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

### Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

### Vapour pressure

Testing not relevant or not possible due to the nature of the product.

### Relative vapour density

Testing not relevant or not possible due to the nature of the product.

### Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

## Data on fire and explosion hazards

## Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

#### Auto-Ignition (°C)

Testing not relevant or not possible due to the nature of the product.

#### Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

#### Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

### Solubility

#### Solubility in water

Completely soluble

## n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

### Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

#### 9.2. Other information



#### Other physical and chemical parameters

No data available.

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance

Cocoamphoacetat

Test method

**Species** 

Rat Oral

Route of exposure Test

LD50

Result

<5000 mg/kg ·

Other information

Product/substance

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Test method

**Species** 

Rat

Route of exposure

Oral

Test

LD50

Result Other information 500-2000 mg/kg ·

Product/substance

sodium hydroxide

Test method

Rabbit

Species Route of exposure Test

Dermal LD50

Result

1,350 mg/kg ·

Other information

Product/substance

sodium hydroxide

Test method

Species Rat Route of exposure Oral

Test LD50

Result 140-340 mg/kg ·

Other information

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Causes serious eye irritation.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.



#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### Endocrine disrupting properties

None known.

#### Other information

None known.

#### **SECTION 12: Ecological information**

1	17	1	_	$\Gamma$	V		i۲	,
ı	<b>Z</b>		. 1	U	'A	U	ľ	∮

Test

Product/substance

Test method

Species

Fish

5,3 mg/l ·

Cocoamphoacetat

Cocoamphoacetat

Cocoamphoacetat

Compartment

Duration

96 hours LC50

Result Other information

Product/substance

Test method

Species Daphnia

Compartment

96 hours Duration EC50 Test 8,9 mg/l · Result

Other information

Product/substance

Test method

Species

Algae

Compartment

72 hours EC50

Duration Result

Test

16,9 mg/l ·

Product/substance

Other information

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Test method **Species** Compartment

Fish

Duration 96 hours Test LC50 Result 1-10 mg/l ·

Other information

Product/substance

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Test method Species Compartment Duration

Algae

72 hours Test EC50 Result 1-10 mg/l · According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Other information

Product/substance

Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Test method Species

Daphnia

. Compartment

Duration

Test

48 hours EC50

1-10 mg/l ·

Result Other information

Product/substance

sodium hydroxide

Test method

Species

Fish

Compartment Duration

 Duration
 96 hours

 Test
 LC50

 Result
 35 - 189 mg/l ·

Other information

Product/substance

sodium hydroxide

Test method

Species Compartment Crustacean

Duration 48 hours
Test EC50
Result 40,4 mg/l

Other information

12.2. Persistence and degradability

Product/substance Cocoamphoacetat

Biodegradable Yes
Test method OECD 301 A
Result 73%

Product/substance Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Biodegradable Yes
Test method OECD 301 E
Result 90%

12.3. Bioaccumulative potential

Product/substance Cocoamphoacetat

Test method

Potential bioaccumulation No LogPow -1,0000

BCF No data available.

Other information

Product/substance Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

Test method

Potential bioaccumulation No LogPow 2,7700 BCF 98

Other information

Product/substance sodium hydroxide

Test method

Potential bioaccumulation No LogPow -3,8800 BCF 0

Other information

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties



None known.

#### 12.7. Other adverse effects

None known.

### **SECTION 13: Disposal considerations**

#### Waste treatment methods

Product is not covered by regulations on dangerous waste.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

#### EWC code

20 01 29\*

Detergents containing dangerous substances

Waste group H:

Waste with low

energy content

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### **SECTION 14: Transport information**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	Class: -	-	No	Tunnel restriction code: - See below for additional information.
IMDG	-	-	Class: -	-	No	EmS: See below for additional information.
IATA	-	-	Class: -	-	No	See below for additional information.

<sup>\*</sup> Packing group

### Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

#### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

<sup>\*\*</sup> Environmental hazards



Not applicable.

## Product registration number

Pr.Nr 2019152

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### Sources

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

No

#### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

## Additional information

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by



Regulation (EC) No. 1272/2008 (CLP).

## The safety data sheet is validated by

MA

### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en